

# Mobile Ground Freezing Plant, Site Generators, Water Tanks, Circulating Tanks, Valves and Couplings, Shipping Containers, Welfare Cabins, Process Plant and Drilling Accessories

**VIEWING DATE**

Tuesday 22 July by  
appointment only

**BIDDING DATE**

From 11.00am  
Wednesday 23 July

**COLLECTION DATE**

Tuesday 29 July and  
Wednesday 30 July by  
appointment only

**LOTS LOCATION**

Nottingham

**IMPORTANT INFORMATION**

<b>By Instructions Of:</b>	A Retained Client
<b>Viewing:</b>	Tuesday 22 July strictly by appointment only, contact the office on 01274 752142 to arrange your appointment. Viewing appointment must be booked 24 hours before the viewing day.
<b>Auction Ends:</b>	From 11.00am Wednesday 23 July – please note the lots close in 30 second intervals and have the auto extension where if a bidder bids in the last 10 minutes that lot will extend back to 10 minutes and start to count down again.
<b>Location:</b>	Nottingham
<b>Lot Information:</b>	All lots are sold as seen, viewing is recommended, as no condition reports will be given out or refunds. Lot descriptions are provided in good faith. It is the bidders responsibility to make sure they are satisfied with the conditions of the lots prior to bidding. All lots are subject to 20% VAT along with 20% buyers premium plus VAT.
<b>Bidding:</b>	It is the bidders responsibility to check the bid amounts before confirming, as there will be no retraction of bids. All bids are legally binding.
<b>Invoices:</b>	All invoices will be emailed to your registered email address on Wednesday 23 July.
<b>Payment:</b>	The only payment method we accept is bank transfer payment and it is due within 24 hours of the auction ending. The details of the bank account will be provided on the invoice and invoice email.
<b>Collection of Lots:</b>	All lots must be removed Tuesday 29 July or Wednesday 30 July by appointment only. When collecting please make sure to bring sufficient manpower and tooling for removal of lots. Pinder Asset Solutions does not supply a packing or delivery service. If you are using a courier service, please make them aware no lots will be packaged. Lots will only be released on the production of a valid paid collection note. Overseas purchasers will be responsible for their own shipping and export including providing EORI numbers and products codes for shipping requirements, we are unable to provide this service.

## CATALOGUE

### Lots

- 1 Sabroe 128HF Freeze Plant, with Montracon twin axle curtainside trailer, refrigerative output: 128kw; evaporating temperature: -30°C; brine temperature: -25°C; condensing temperature: +40°C; brine flowrate: 35m³/hr; brine connections: 150mm (v); cooling water flow required: 20m³/hr; cooling water temp required: +17°C; drive motor: 110kw; voltage, phase, cycles: 400, 3, 50; starting: Star-Delta; capacity control system: computer; refrigerant: R22 Freon; volume of refrigerant: 250kg; length of each unit: 6.50m; width: 1.80m; height: 2.20m; weight: 7.8 tonnes
- 2 Sabroe 128HF Freeze Plant, with Crane Fruehauf twin axle curtainside trailer, refrigerative output: 128kw; evaporating temperature: -30°C; brine temperature: -25°C; condensing temperature: +40°C; brine flowrate: 35m³/hr; brine connections: 150mm (v); cooling water flow required: 20m³/hr; cooling water temp required: +17°C; drive motor: 110kw; voltage, phase, cycles: 400, 3, 50; starting: Star-Delta; capacity control system: computer; refrigerant: R22 Freon; volume of refrigerant: 250kg; length of each unit: 6.50m; width: 1.80m; height: 2.20m; weight: 7.8 tonnes
- 3 Acquindustriali stand mounted Cooling Tower
- 4 40 lengths plastic Filter Media for lot 3, 2130mm long
- 5 Water Storage Tank, with skid
- 6 Dragon Products Texas twin axle trailer type Water Tank
- 7 Skid mounted Circulating Fluid Tank, with MCM 556 centrifugal pump and Hansen motor
- 8 Skid mounted 2-compartment Fluid Tank
- 9 Steel enclosed Storage Tank, 4500mm x 3000mm x 850mm, with FLT sleeves
- 10 Fabricated open top Storage Tank, with lifting eyes, 3070mm x 2450mm x 1050mm
- 11 Steel fabricated Storage Bin, approx. 6000mm x 2400mm x 1500mm
- 12 Steel fabricated Pipe Storage Bin, 10300mm x 2440mm x 900mm
- 13 Steel fabricated container type Storage Bin, approx. 6000mm x 2400mm x 1500mm
- 14 National/Oweco C150B Duplex Mud Pump, skid mounted with Cummins NT855G2 engine, in an acoustic enclosure
- 15 12 Cannaflex Pipe, 3400mm to 1500mm, with Bauer couplings, various lengths, 6in diameter
- 16 Quantity Water Pipe, to stillage (stillage not included)
- 17 Stillage with forklift sleeves, 1220mm x 1020mm x 1380mm
- 18 Length flexible Hose, 8in with Bauer couplings
- 19 Steel Discharge Flume, with flanges
- 20 8 lengths flexible Pipe, 6in, with Bauer couplings
- 21 Quantity 4in Flexible Hoses, with Bauer couplings
- 22 Quantity Alfacomma T-151 heavy duty Air and Water Mining Hose, 20bar
- 23 Boode Waterwell System Diffuser, 225mm x 3650mm, with 8in Bauer coupling

- 24 7 Canaflex Pipe, 7500mm to 3400mm, with Bauer 6in couplings
- 25 Kanaflex flexible Pipe, 6in x 8m, with Bauer couplings
- 26 4 Alfagomma 10bar water Pipe, 1 - 6in diameter x 3250mm, 1 – 6in diameter x 3050mm, 1 – 6in diameter x 4300mm, 1 – 6in diameter x 1900mm
- 27 2 lengths 4in 150psi Hose, Anson 206 knock up unions
- 28 20ft Shipping Container (contents not included)
- 29 20ft Shipping Container (contents not included)
- 30 20ft Shipping Container
- 31 20ft Shipping Container, with fitted workbench, vice, shelving and loading ramps (loose contents not included)
- 32 20ft Shipping Container
- 33 20ft Shipping Container
- 34 20ft Shipping Container, with switchgear, isolation boxes, etc
- 35 Containerised Electrical Pump Control and Starter Set comprising distribution boards, switchgear, isolator, Auto TX starter, 250-300HP, 6.9m 3-core cable, installed in 20ft shipping container, with separate mess room accessed at rear of container
- 36 20ft Shipping Container, fitted as canteen with kitchen units, lights, electric radiator, washing machine and tumble dryer, mounted on septic tank
- 36A Set 4 Container Stacking Pins
- 37 Jackleg Welfare Unit, approx. 9750mm x 2450mm, with fitted kitchen, shower and WC, bedroom, lights, power sockets, etc
- 38 Containerised Jackleg Shower/Toilet Block with shower, 3 urinals, WCs, hand wash basins
- 39 Caterpillar XQ455 diesel Generator Set, in acoustic cabinet, comprising Leroy LL6014J alternator giving 460volts at 60hz 455kva prime, Caterpillar 3412TA diesel engine, driving 546kva, Woodward EGCP-2 digital control, year 2005, engine number CAT00000C4BZ07523
- 40 Containerised diesel Generator Set, 100kva, comprising PowerCo Systems KS100PE alternator, 100kva, year 2006, Perkins diesel engine type 2330/1500, year 2011, Deep Sea Electronics DSE7120 control, diesel tank 2500litres
- 41 Containerised diesel Generator Set, 195kva, Tech Knol Stamford alternator, Cummins 6CTA8.3-62 diesel engine, 14 415volt outlet sockets, 14 240volt outlets, bunded tank storage with 2500litre fuel tank
- 42 Containerised twin diesel Generator Set, with Power Co PCS200CN 200kva generator, year 2008, 415volt and 240volt outlets, Cummins engine 2165hours, 2nd generator, Stamford 195kva alternator, with Volvo Penta TAD 721 GE diesel engine 9050hours, 415volt outlets, generators give 460volts at 60 Hz.
- 43 Kato Engineering A210270000-6P602700 Alternator, 1287kva, unused
- 44 Kato Engineering 1030-685361111-6P6-2700 Alternator, 1287kva
- 45 Containerised double skin Fuel Tank, 18,000 litre capacity with lifting bridle
- 46 Paddle Mixing Vessel, 780mm diameter x 800mm, with electric motor, 415volts

- 47 Mixing Tank, 2500mm x 2500mm x 600mm deep, with hopper feed
- 48 Submersible Pump Shroud, 16in diameter x 4500mm
- 50 Submersible Pump Shroud, 9<sup>5</sup>/<sub>8</sub>in x 4000mm
- 51 Submersible Pump Shroud, 9<sup>5</sup>/<sub>8</sub>in x 4000mm
- 52 Submersible Pump Shroud, 9<sup>5</sup>/<sub>8</sub>in x 4000mm
- 53 Submersible Pump Shroud, 9<sup>5</sup>/<sub>8</sub>in x 4000mm
- 54 Twin Submersible Pump Shroud, 13<sup>3</sup>/<sub>8</sub>in x 4900mm
- 55 Submersible Pump Shroud, 6in x 4000mm
- 56 Submersible Pump Shroud, 10<sup>3</sup>/<sub>4</sub>in x 5115mm
- 57 Submersible Pump Shroud, 14in x 4000mm
- 58 Twin Submersible Pump Shroud, 13<sup>3</sup>/<sub>8</sub>in x 5000mm
- 59 DOL Starter, 415volts, mounted on stand
- 60 Skid mounted Centrifugal Pump Set, with Ingersoll Rand pump, motor 45kw, Star/Delta starter
- 61 Skid mounted Centrifugal Pump Set, with pump, Gamok motor 45kw, Star/Delta starter
- 62 Skid mounted Centrifugal Pump Set, with Ingersoll Dresser pump, Alpak II motor 45kw, Star/Delta starter
- 63 Skid mounted Centrifugal Pump Set, with pump, motor 45kw
- 64 Brook Hansen Electric Motor, 45kw
- 65 Centrifugal Pump with D160M electric motor
- 65A Centrifugal Pump with 7.5kw motor
- 66 Centrifugal Pump with D160L electric motor
- 67 Brook Hansen A-DF180MZ-D Electric Motor, 18.5kw, 1465rpm
- 68 4 Hattersley 3-way Pipe Connectors, 6in
- 69 3 Hattersley Gate Valves, 6in
- 70 2 Hattersley Gate Valves, 6in
- 71 2 Hattersley Gate Valves, 6in, with Bauer coupling
- 72 Gate Valve, 3in
- 72A 3 Gate Valves, 4in
- 72B 4 Butterfly Valves, 4in
- 73 3 Hattersley Gate Valves, 12in
- 74 Flyght 4FX8-6WM Submersible Pump, 1.1kw, CVH 35m+, performance 4 – 11m<sup>3</sup>/hr, 35 – 17m head, CP4C11M motor
- 75 Submersible Pump Motor
- 76 T Junction, 4in
- 77 R H Controls R-B Duplex Blower, 600volts, 60Hz

- 78 Quantity Bauer Couplings, 6in
- 79 Stillage, 1220mm x 1000mm x 1400mm, with forklift sleeves (contents not included)
- 80 Stillage, 1220mm x 1000mm x 1400mm, with forklift sleeves (contents not included)
- 81 Large quantity Mercia Valves, 2in BSP, to crate
- 82 Large quantity Mercia Valves, 2in BSP, to crate
- 83 Large quantity Mercia Valves, 2in BSP, and Candlesticks to stillage
- 84 Quantity Couplings, 4in, Pipe and Bends, to stillage
- 85 Clarke CAF606 Axial Fan, 600mm, 240volts, with vent plate
- 86 Clarke CAF606 Axial Fan, 600mm, 240volts, with vent plate
- 87 Blakley 3-switch Circuit Breaker
- 88 Star Delta Starter
- 88A Distribution Panel, 440volts
- 89 Control Panel
- 90 Power Distribution Board, with 415volt and 240volt, 32amp outlets
- 91 Control Panel
- 92 Amcor Chiller, 240volts
- 93 Watford AC Voltage Stabiliser
- 94 Simmonds Transformer
- 95 Portable Davenset Power Transformer
- 96 Reel heavy duty 3-phase Cable
- 97 Reel Insulated Cable
- 98 2 TIV 50 Altometers
- 99 3 various Electric Motors
- 100 2 Isolator Boxes and Connector Box
- 101 11 various 415volt and 240volt Plugs
- 102 Approx 10 various Transformers
- 103 5 Omron H3CR Timers, unused
- 104 Endress & Hauser FMU 860 Ultrasonic Transmitter
- 105 Bestobell Meterflow P-10 Flow Meter and Altai Power Supply
- 106 2 Amp Meter Gauges and 2 Hour Gauges
- 107 Fabricated single door Electrical Cabinet
- 108 Approx. 25 various Data Loggers
- 109 Quantity Audible Sirens/Bells and Lights
- 110 5 various On/Off Switches, etc
- 111 Tub various Electrical Components, etc
- 112 Quantity various Fuses, to box



- 113 Fabricated Electrical Cabinet, 800mm x 550mm x 1500mm, with 2 doors
- 114 Fabricated Electrical Cabinet, 800mm x 550mm x 1500mm, with 2 doors
- 115 Fabricated step over Walkway, 900mm x 420mm high aperture
- 116 Fabricated step over Walkway, 900mm x 165mm high aperture
- 117 Fabricated step over Walkway, 430mm x 160mm high aperture
- 118 Altometer Flow Meter integrated 10in Pipe
- 119 Fabricated step over Walkway, 500mm x 130mm high aperture
- 120 Fabricated step over Walkway, 500mm x 130mm high aperture
- 121 Fabricated step over Walkway, 400mm x 100mm high aperture
- 122 Fabricated 9-tier Rack, 1160mm wide x 1900mm high
- 123 2 fabricated 11-tier Racks, 600mm wide x 1850mm high
- 124 Fabricated 9-section Storage Rack, 3000mm x 700mm x 1050mm
- 125 Fabricated 9 section Bottle Stillage
- 126 Fabricated Breathing Apparatus Cabinet
- 127 Fabricated Bottle Stillage, 1220mm x 1020mm x 1280mm, with gate and forklift sleeves
- 128 Length 240volt 32amp Cable, with sockets
- 129 Quantity Wire Rope and Slings
- 130 Quantity various Extension Cables, 110volts and 4 Core
- 131 Dismantled Stand/Rack
- 132 Quantity various Valves, to sack
- 133 Quantity various Clamps, to bin
- 134 Approx. 100 Victaulic Roustabout 3-in Couplings
- 135 Quantity BSP Fittings, to shelf and 2 boxes
- 136 Quantity various Braided Hose and BSPT Connectors, to shelf
- 137 Quantity various Braided Hose to shelf
- 138 Quantity various Metconab B-Flex Braided Hose and Valves, to shelf
- 139 Quantity various BSP Fittings and 15 Econ various Ball Valves
- 140 Quantity BSP T Connectors
- 141 Quantity various Insulated Cable, etc
- 142 Approx. 20 lengths BSP Pipe, 1in and 1.5in, approx. 3300mm average lengths
- 143 Quantity various lengths Cable, 240volts/110volts
- 144 10 SCP height adjustable Tube/Pipe Stands, 4000kg capacity, 650mm tall
- 145 10 SCP height adjustable Tube/Pipe Stands, 4000kg capacity, 650mm tall
- 146 10 SCP height adjustable Tube/Pipe Stands, 4000kg capacity, 650mm tall
- 147 10 SCP height adjustable Tube/Pipe Stands, 4000kg capacity, 650mm tall
- 148 5 SCP height adjustable Tube/Pipe Stands, 4000kg capacity, 650mm tall

- 149 10 Straub Grip 16-T100 Pipe Connectors, 158-160mm
- 150 10 Straub Grip 16-T100 Pipe Connectors, 158-160mm
- 151 10 Straub Grip 16-T100 Pipe Connectors, 158-160mm
- 152 10 Straub Grip 16-T100 Pipe Connectors, 158-160mm
- 153 10 Straub Grip 16-T100 Pipe Connectors, 158-160mm
- 154 10 Straub Grip 16-T100 Pipe Connectors, M113-115
- 155 10 Straub Grip 16-T100 Pipe Connectors, M113-115
- 156 10 Straub Grip 16-T100 Pipe Connectors, M113-115
- 157 10 Straub Grip 16-T100 Pipe Connectors, M113-115
- 158 8 Straub Grip 16-T100 Pipe Connectors, M113-115
- 159 3 Straub Grip 16-T100 Pipe Connectors, M008-890
- 160 Approx. 60 lengths Alfagomma Petroleum S&D Hose, SAE 100 R4, 3000mm long
- 161 Approx. 100 lengths Rubber Hose, 1500mm x 2in diameter, including stillage
- 162 Large quantity Rubber Hose, various lengths and diameter, including stillage
- 163 3 various adjustable Pipe Stands
- 164 2 various rolls Lay Flat Hose
- 165 Large quantity Polystyrene Pipe Insulation
- 166 Approx. 15 various lengths Rebar, up to 4200mm
- 167 Approx. 30 Pipe Supports, 4in diameter x 500mm
- 168 Approx. 22 Pipe Supports, 6in diameter
- 169 2 Pipe Rollers
- 170 Quantity BSP and Non BSP Pipe
- 171 5 tubular Stands
- 172 Quantity various Pipe, up to 8in diameter
- 173 Frame mounted Fan Housing and various lengths Cable Trays
- 174 Quantity various Air Hose, 1in
- 175 Quantity various Butterfly Valves, Victaulic Couplings, Bends, etc, including stillage
- 176 4 various lengths Rubber Hose
- 177 Quantity various Armaflex Pipe Insulation
- 178 Clearspan aluminium framed Structure, single personnel door, dismantled, no PVC walls or roof
- 179 Mecc Alte MR1-E2 single axle diesel driven Welding Generator Set, 6kva, 115volts, 230volts, 1156hours
- 180 Hydraulic Pallet Truck
- 181 Quantity various Pipe Blanks, Connectors, etc
- 182 12 Victaulic T-Connectors, 4in
- 183 24 45° Elbows, 4in



184	24 45° Elbows, 4in
185	17 90° Elbows, 4in
186	9 various Couplings
187	20 Victaulic Connectors, 4in
188	20 Victaulic Connectors, 4in
189	20 Victaulic Connectors, 4in
190	20 Victaulic Connectors, 4in
191	20 Victaulic Connectors, 4in
192	20 Victaulic Connectors, 4in
193	20 Victaulic Connectors, 4in
194	20 Victaulic Connectors, 4in
195	20 Victaulic Connectors, 4in
196	20 Victaulic Connectors, 4in
197	20 Victaulic Connectors, 4in
198	20 Victaulic Connectors, 4in
199	20 Victaulic Connectors, 4in
200	20 Victaulic Connectors, 4in
201	20 Victaulic Connectors, 4in
202	15 Victaulic Connectors, 4in
203	10 Victaulic Connectors, 6in
204	10 Victaulic Connectors, 6in
205	10 Victaulic Connectors, 6in
206	10 Victaulic Connectors, 6in
207	10 Victaulic Connectors, 6in
208	10 Victaulic Connectors, 6in
209	Virax 1375 hand held Pipe Threader, 230volts, with dies and transportation case
210	Ridgid 300-A powered Pipe Threader, 110volts, with Ridgid pipe vice and stand, various dies and threads
211	Quantity various heavy duty Pipe Threading Heads
212	Lengths Insulated 4-core Cable
213	Quantity Scaffold Clips
214	Quantity various 110volt/240volt Extension Leads
215	13 various Floodlights
216	Quantity various Electric Components, including voltage regulators, motors, relays, etc
217	Off Switch with length cable
218	2 various Floodlights

- 219 Various lengths 110volt and 240volt Extension Cables
- 220 3 various lockable Off Switches, with cable
- 221 3 various Floodlights with protective housings
- 222 Ex-Tex Alarm Control Box, various cable and bell
- 223 Folding Stretcher
- 224 Adjustable Tripod
- 225 240volt 32amp Extension Lead
- 226 Knohne GS4A Altometer
- 227 MSA Chillgard Refrigerant Leak Detection System
- 228 ELE MM900 Data Logger
- 229 Quantity various Insulated Cable
- 230 2 various Isolator Boxes
- 230A Floodlight with stand, 110volts
- 231 Tool Transformer, 110volt, 2 outlet and 4-way 110volt connector box
- 232 Quantity various Insulated Cable, to shelf
- 233 Quantity various Earth Cable
- 234 4-outlet 110volt Connector Box
- 235 Roll Reflective Insulation
- 236 3 various Spirit Levels
- 237 Ridgid 24in Pipe Wrench
- 238 Ridgid 24in Pipe Wrench
- 239 Ridgid 24in Pipe Wrench
- 240 Ridgid 36in Pipe Wrench
- 241 Ridgid 36in Pipe Wrench
- 242 Ridgid 48in Pipe Wrench
- 252 2 part Reels Wire Rope, 3mm
- 253 80m Wire Rope, 14mm with test cert
- 254 130ft Wire Rope, 12mm with test cert
- 255 40m Wire Rope, 12mm
- 258 Roll Wire Rope, 14mm
- 260 Roll Wire Rope, 14mm, with test cert
- 262 Roll Wire Rope, 16mm, with test cert
- 264 38m Wire Rope, 16mm, with test cert
- 267 56m Wire Rope, 16mm, with test cert
- 268 171m Wire Rope, 19mm, with test cert
- 271 Roll Wire Rope, approx. 16mm

273	20m Wire Rope, 16mm
275	Roll Wire Rope, 16mm
278	25m Wire Rope, 13mm, with test cert
279	45m Wire Rope, 16mm, with test cert
282	Length Wire Rope, 16mm, with test cert
286	Wire Rope Sling, 6.3m x 28mm, with test cert
288	Wire Rope Sling, 10.9m x 20mm, with test cert
289	Wire Rope Sling, 7.6m x 6mm, with test cert
290	Wire Rope Sling, 6.5m x 22mm, with test cert
293	Wire Rope Sling, 4.27m x 28mm, with test cert
294	Wire Rope Sling, 4.27m x 28mm, with test cert
295	Wire Rope Sling, 1.6m x 14mm, with test cert
296	Wire Rope Sling, 1.6m x 14mm, with test cert
297	Wire Rope Sling, 3.8m x 10mm, with test cert
298	Wire Rope Sling, 11.9m x 10mm, with test cert
299	3 Wire Ropes, 3.5m x 16mm, with test cert
300	Wire Rope, sling one end
301	Wire single end Sling, 10tonnes
302	Wire single end Sling, 10tonnes
303	Wire Rope Sling, 5.7m x 22mm, with test cert
580	205litre drum BP LPT68 (drum A)
581	205litre drum BP Terrac (drum C)
582	205litre drum BP RC-R32 (drum D)
583	205litre drum BP Terrac (drum J)
584	205litre drum Exol Athena Progear SS 75W-90 Semi Synthetic Gear Oil (drum N)
587	2 20litre drums Chomodex ATF Auto Transmission Oil
588	Exol Trojan 320 Gear Oil
589	Exol Tachus 68, 25litres
590	Altas Copco Roto Inject Fluid
591	2 25litre drums Exol Cyclone HT46 Compressor Oil
592	6 Simalube Automatic Lubricator
593	Drum Altas Copco Ndurance Lubricant
594	Drum Petro Canada Cynduro SHB220 Oil, 20litres
595	2 drums Petro Canada Enduratex EP320 Oil, 20litres
596	Drum Petro Canada Enduratex 68/220 Gear Oil, 20litres
597	Drum Petro Canada Traxon XL75 W-90 Gear Oil, 20litres

- 598 2 drums Petro Canada Compro-XL-S 32 Compressor Oil, 20litres
- 599 3 drums Petro Canada Enduratex EP320 Oil, 20litres
- 608 Drum Petro Canada XCG-Flex, 17kg
- 609 2 drums Petro Canada Enduratex 68-22 Gear Oil, 20litres
- 610 Full and 2 part drums Magnafloc, 120litres
- 612 Part drum BP RC-R32 Oil
- 613 2 drums Shell Donax TF, 20litres
- 614 2 full and part drums Shell Donax TC 30, 20litres
- 616 Drum Shell Adrana D408, 20litres
- 617 2 drums Jet-Lube TFW Thread Sealant, 20kg
- 618 Part drum BP Turbine Oil
- 620 Drum Ciba Alcomer 110L, 20litres